


Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

1/27


F I G. 1



Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT  
Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

2/27

F I G. 2




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

3/27

FIG. 3




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT


Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

4/27

F I G. 4 A



F I G. 4 B




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

5/27


F I G. 5



Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT  
Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

6/27

F I G. 6



**Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT**

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

7/27

FIG. 7A





FIG. 7 B




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

8/27

FIG. 8




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

9/27

F I G. 9




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA

Atty. Ref.: 9319H-000587

10/27

F I G. 1 0



Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT


Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

11/27


F I G. 11 A




F I G. 11 B




F I G. 11 C



F I G. 11 D



F I G. 11 E




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

12/27

FIG. 12




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA

Atty. Ref.: 9319H-000587

13/27

FIG. 13




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

14/27

F I G. 1 4




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

15/27

FIG. 15




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

16/27

F I G. 1 6




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

17/27

FIG. 17




**Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT**

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

18/27


FIG. 18



Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT  
Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

19/27

FIG. 19




**Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC**

**EQUIPMENT**  
Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

20/27

FIG. 20




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA

Atty. Ref.: 9319H-000587

21/27

FIG. 21




**Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT**

INVENTOR: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

22/27

## FIG. 22




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA

Atty. Ref.: 9319H-000587

23/27

FIG. 23




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET  
EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF  
MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC  
EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

24/27

FIG. 24




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

25/27

F I G. 25




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA  
Atty. Ref.: 9319H-000587

26/27

FIG. 26




Title: METHOD OF, AND APPARATUS FOR, SUCKING FUNCTION LIQUID DROPLET EJECTION HEAD; LIQUID DROPLET EJECTION APPARATUS; METHOD OF MANUFACTURING ELECTROOPTIC DEVICE; ELECTROOPTIC DEVICE; AND ELECTRONIC EQUIPMENT

Inventor: Shinichi NAKAMURA

Atty. Ref.: 9319H-000587

27/27

F I G. 27 A



F I G. 27 B

